Subject Index

A

AC impedance 400
Acetazolamide 209
Acetylcholine 108
Acidification 118, 360
Action potential 329, 340
– potentials 37
Activation potential 29
Active salt transport S131
ADH 367
ADH treatment 216
Adenosine triphosphate 80
Adenylate cyclase 52, 216
Admittance S89
Adrenaline 24
Adrenergic receptor 24
Aequorin 77
Airways 389
Amiloride S89, S110, 250
Amino acids 155
γ-Aminobutyric acid (GABA) 265
Ammonium reabsorption S101
Amphibian skin epithelium S50
Anemonia sulcata toxin II 349
Angiotensin 77
Angiotensin II 260
Anion-exchange 202, 209
Antarctic fish 136
Antidiuresis S28
Antidiuretic hormone 216
Aortic smooth muscle 234
Apamin 260
Apical membrane 250
– membranes S71
Arsenate S106
Arterial pressure 226
ATP 305, 323
ATPase activity 216
ATPase-β-adrenoceptor complex 24
ATP-γ-S 323
Atherosclerosis 77
Autoregulation 127

B

Barbiturates 91
Barium S39, 102, 367
Baroreflex sympathetic activation 127
Basal metabolism 163
Basolateral Cl^--conductance 367
– co-transport S2
– membrane S8, S77
– – ionic conductance S39
– – responses S33
– – vesicles 202
Beta-adrenergic blockade 127
– modulation 24
– regulation 285
Bicarbonate 202
– efflux S121, 360
– transport 209
Bicarbonate-sodium cotransport S167
Blood pressure 127
Blood-gas partition coefficient 389
Bradykinin 260
Brain cortex 148
Brattleboro rats 216
Brush border membrane 395
– – – vesicles (BBMV) 395
Bullfrog skin S77
Bumetanide S8

C

Ca channel 285
Ca channel 349
Ca channels 91
Ca current 285
Ca depletion 91
Ca inward current 310
Ca^{2+} 323
Ca^{2+} concentration 19
Ca^{2+} ionophore 108
Ca^{2+} ionophore 29
Ca^{2+} movements 37
Ca^{2+}-activity 260
Ca-channel blockers 329
Ca-dependent K-channels 173
Ca-free solution 310
Calcium 70, 77
– current 91, 294, 340
– distribution 310
– exchange 37
–, frog skin S33
– ions S127
– sensitivity 19
Calmodulin 70
Capillary pH 209
– pressure 226
Carbon dioxide 83
Carbonic anhydrase 234
– – inhibitors 234
Cardiac basal metabolism 155
– function and metabolism 377
– muscle 118, 163
– myocytes 285
– Purkinje strands 118
– ventricular myocytes 294
Cardiectomy 155
Carrier vesicles S152
Catecholamines 66
Cation-selective channels 250
Cd^{2+} 91
Cell communication S147
– culture S167
– differentiation S158
– isolation 329
– membrane pores S17
– – potential(s) 58, 102
– pH regulation 360
– volume S12, S23
Cellular Cl concentration S8
– chloride concentration S2
– electrophysiology S143
– osmoregulation S28
– volume regulation S12
Central venous pressure 226
Cerebrospinal fluid 148
Channel conductance 173
Channels S12
Chloride S2, 202
– homoexchange flux 193
– ion fluxes 234
– reabsorption 46
– selfexchange fluxes 193
– substitution 58
– transport S101
Cl permeability S115
Cl transport S8, S44
Clearance experiments 170
Cl^- activity 108
Cl^- current 29
Cl^--Channel S95
Cl^--conductance 367
Cl^--reabsorption S95
Cl^--secretion S95
Cloned monkey kidney cell line 223
Cloning S158
Co^{2+} 349
Co^{2+} 91
Collagenase 329
– isolation technique 58
Collecting tubule 216
Colon S127
– in vivo S67
Computer model S50
Conductance of basolateral membrane 367
Conducting airways 389
Contractile parameters 141
– properties 141
Contractility 310
Contraluminal membrane S106
Cooperativity 237
Corneal endothelial cells S167
Coronary arteries 70
– blood flow 377
Cortical collecting tubule S143
– tubules 209
Co transport 395
Co-transport S2, S8
Cross-bridge cycle 323
^{51}Cr-EDTA 66
CsCl 340
Cultured cells S147
– LLC-PK1 epithelia S163
– neural cells 260
Current-voltage curves S89
– (I–V) relations 274
Cutaneous vasoconstriction 1
Cyanide 148
Cyclic AMP S115, 285
Cytoplasmic $[Ca^{2+}]$ S33
Cytosolic Ca^{2+} 260
cAMP 367
cAMP-dependent protein kinase 70, 285

Tskitishvili, O. V., see Pisarenko, O. I., et al. 377

Tung, L., Morad, M.
A comparative electrophysiological study of enzymatically isolated single cells and strips of frog ventricle 274

Ullrich, K. J., Papavassiliou, F., Rumrich, G., Fritzsch, G.
Contraluminal phosphate transport in the proximal tubule of the rat kidney S 106

Ussing, H. H.
Volume regulation and basolateral co-transport of sodium, potassium, and chloride ions in frog skin epithelium S 2

Van Driessche, W., Hillyard, S. D.
Quinidine blockage of K^+ channels in the basolateral membrane of larval bullfrog skin S 77

Van Driessche, W., Zeiske, W.
Ca^{2+}-sensitive, spontaneously fluctuating, cation channels in the apical membrane of the adult frog skin epithelium 250

Vanheel, B., de Hemptinne, A.
Intracellular pH in depolarized cardiac Purkinje strands 118

Vega-Salas, D., see Salas, P. J. I., et al. S 152

Versprille, A., Jansen, J. R. C.
Mean systemic filling pressure as a characteristic pressure for venous return 226

Wald, H., see Friedlaender, M. M., et al. 170

Warncke, J., Lindemann, B.
Voltage dependence of the blocking rate constants of amiloride at apical Na channels S 89

Wehner, F., see Petersen, K.-U., et al. S 115

Weidmann, P., see Link, L., et al. 66

Weigt, M., see Oberleithner, H., et al. S 110

Weinstein, R., see Morgan, K. G., et al. 77

Wenc, K., see Morgan, K. G., et al. 77

Wendt-Gallitelli, M. F., Isenberg, G.
Extra- and intracellular lanthanum: modified calcium distribution, inward currents and contractility in guinea pig ventricular preparations 310

Whittembury, G., Paz-Aliaga, A., Biondi, A., Carpi-Medina, P., González, E., Linares, H.
Pathways for volume flow and volume regulation in leaky epithelia S 17

Wiederholt, M., Jentsch, T. J., Keller, S. K.
Electrogenic sodium-bicarbonate symport in cultured corneal endothelial cells S 167

Winterhager, J. M., see Petersen, K.-U., et al. S 115

Wittner, M., see DiStefano, A., et al. S 95

Work, J., see Rostand, S. G., et al. 46

Yamaguchi, T., see Tanishita, K., et al. 83

Yamashita, N., see Chang, H., et al. 223

Yoshitomi, K., Burckhardt, B.-Ch., Frömter, E.
Rheogenic sodium-bicarbonate cotransport in the peritubular cell membrane of rat renal proximal tubule 360

Yoshitomi, K., Frömter, E.
How big is the electrochemical potential difference of Na^+ across rat renal proximal tubular cell membranes in vivo? S 121

Young, K., McDonagh, M. J. N., Davies, C. T. M.
The effects of two forms of isometric training on the mechanical properties of the triceps surae in man 384

Zeiske, W., see Van Driessche, W. 250

Zierold, K., see Kinne, R., et al. S 101

Zimmer, M., see Pfizer, G., et al. 70

Zwart, A., see Schrikker, A. C. M., et al. 389

Indexed in Current Contents

D

Dehydration 112
Denervated fast-twitch muscle 244
– – rabbit muscle 141
Depolarization 29, 118
Dextran 19
DIDS 202
Diabetes insipidus 216
3,4-Diaminopyridine 349
Dietary adaption S106
Diluting segment of frog kidney S110
Distal nephron segments 216
Diuresis S28
Divalent cations 250
Divalent cations 91
Dopamine 24

E

EGTA 91
Electrical stimulation 141, 384
Electrogenic bicarbonate-sodium symport S167
Electrolyte transport S67
Electrolytes S28
Electron microprobe analysis S8, S28
Endogenous glutamic acid 377
Endothelium 234
Endotoxin 1
Endurance 384
Energy metabolism 244
Environmental temperature 136
Enzymatically isolated single cells 274
Epinephrine 66
Epithelia S71, S147
Epithelial cell polarity S152
– function S23, S158
– Na channels S89
– resistance 400
– transport S77, S106
– water transport S17
Epithelium S2, S83, 389
Equivalent circuit analysis S39
Erythrocyte ghosts 193
Evoked transmitter release 349
Evolutionary adaptation 136
Excitation-contraction coupling 37, 77
Excitatory transmitter release 265
Exercise 384
Exocrine glands S44
Expiratory concentration-time curves 389
Extracellular volume expansion 170

F

Facilitated diffusion 83, S106
Fast protein liquid chromatography 234
Fast-twitch rabbit muscle 141
Fatigue 384
Fever 1
Flow anoxia 148
Fluctuation analysis S83, 180
Fluororeflectometry in vivo 148
Force-velocity characteristics 136
– relation 323
Frog skeletal muscle 24
Frog skin S2, S39, S44, 250
– – epithelium S8, S33
Furosemide S8, S110, 367

G

Gallbladder epithelium S115
Gas transfer 389
Gastric glands 58
Glia 260
Glioma cell 260
Glucagon 216
Glucose dependent K^+-channels 305
Glutamic acid 377
Glycoproteins S152
GMP level 260
Golgi apparatus S152
Growth factor 77

H

H_2-DIDS S106
Harvested proximal tubular fluid S136
HCO^-_3 permeability 118
HEPES 340
Heart 80, 285
– in ischemia 377
Hemoglobin solutions 83
Henle's loop 367
Heparin releasable and unreleasable LPL forms 188
Hess and Tsien model 340
Hexose transporter S163
Hill coefficient 237
– curve 19
Histamine 24, 260
Hormonal induction of ion transport S158
^{3}H-ouabain binding sites S44
Human red cell ghosts 193
Hyperpolarization 223
Hypothalamic slices in vitro 112
Hypoxia 80

I

Image processing S13
In vitro culture S158
Inactivation 340
Insulin S33
Intercellular junctions S147
Interstitial $^{33}P_i$ concentration S106
Intracellular ATP 305
– Ca^{2+}-activity 260
– Cl^--activity 108
– calcium ions S127
– microelectrodes 102
– Na^+ concentration S121
– pH 118
– protein transport S152
– routes S152
Intrafusal muscle fibres 297
Inward current 310
Ion channel 173
– transport S44, S127
Ionic channels S83
– conductance S39
Isolated gastric glands 58
– perfused medullary thick ascending limb 367
– rat kidney 46
– smooth muscle cell 329, 340
Isometric training 384
Isoprenaline 285
Isoproterenol 37

J

Jaw muscles 297
JTC-12 cell 223

K

Kidney 46, S106, S110, S131, S143, S158, 395
– basolateral membrane 209
– blood flow 127
– cell line 223
– cells 102
–, K conductance 223
–, medullary ATPase 170
–, proximal tubule S17, 360
–, thyroid hormone 52
K^+-arrested rabbit hearts 163
K^+ channels S71, S77, 305
K^+ conductance S110, 223, 305
K^+ currents 274
K^+ transport S71

L

Lacrimal acinar cells 108
Lactate dehydrogenase isozyme 244
Lanthanum extra- and intracellular 310
Leaky epithelia S17, 400
Left ventricular ischemia 377
Lipoprotein lipase activity (LPLA) 188
Local anesthetics 91
Loop of Henle 46, S95
Lorentzian component 250
Low phosphate diet 395
Lucifer Yellow S147
Lung model 389
Lung volume 226
Lys-bradykinin 260

M

Macula densa 46
Madin-Darby canine kidney cells 102
Mannitol-saline S136
Masticatory muscles 297
Mathematical model S50
MDCK-cells 102
MDCK cells (epithelioid of renal origin) S147
Mechanical activation 354
Medial preoptic area 112
Medullary microsomal Na-K-ATPase activity 170
– thick ascending limb 367
Membrane biogenesis S152
– current 329
– depolarization 354
– HCO^-_3 permeability 118
– ionic channels S83
– K^+ conductance S12
– potential difference 367
– potentials 58
– proteins S152, 354
– vesicles S101, 202

Subject Index

A

AC impedance 400
Acetazolamide 209
Acetylcholine 108
Acidification 118, 360
Action potential 329, 340
– potentials 37
Activation potential 29
Active salt transport S131
ADH 367
ADH treatment 216
Adenosine triphosphate 80
Adenylate cyclase 52, 216
Admittance S89
Adrenaline 24
Adrenergic receptor 24
Aequorin 77
Airways 389
Amiloride S89, S110, 250
Amino acids 155
γ-Aminobutyric acid (GABA) 265
Ammonium reabsorption S101
Amphibian skin epithelium S50
Anemonia sulcata toxin II 349
Angiotensin 77
Angiotensin II 260
Anion-exchange 202, 209
Antarctic fish 136
Antidiuresis S28
Antidiuretic hormone 216
Aortic smooth muscle 234
Apamin 260
Apical membrane 250
– membranes S71
Arsenate S106
Arterial pressure 226
ATP 305, 323
ATPase activity 216
ATPase-β-adrenoceptor complex 24
ATP-γ-S 323
Atherosclerosis 77
Autoregulation 127

B

Barbiturates 91
Barium S39, 102, 367
Baroreflex sympathetic activation 127
Basal metabolism 163
Basolateral Cl^--conductance 367
– co-transport S2
– membrane S8, S77
– – ionic conductance S39
– – responses S33
– – vesicles 202
Beta-adrenergic blockade 127
– modulation 24
– regulation 285
Bicarbonate 202
– efflux S121, 360
– transport 209
Bicarbonate-sodium cotransport S167
Blood pressure 127
Blood-gas partition coefficient 389
Bradykinin 260
Brain cortex 148
Brattleboro rats 216
Brush border membrane 395
– – – vesicles (BBMV) 395
Bullfrog skin S77
Bumetanide S8

C

Ca channel 285
Ca channel 349
Ca channels 91
Ca current 285
Ca depletion 91
Ca inward current 310
Ca^{2+} 323
Ca^{2+} concentration 19
Ca^{2+} ionophore 108
Ca^{2+} ionophore 29
Ca^{2+} movements 37
Ca^{2+}-activity 260
Ca-channel blockers 329
Ca-dependent K-channels 173
Ca-free solution 310
Calcium 70, 77
– current 91, 294, 340
– distribution 310
– exchange 37
–, frog skin S33
– ions S127
– sensitivity 19
Calmodulin 70
Capillary pH 209
– pressure 226
Carbon dioxide 83
Carbonic anhydrase 234
– – inhibitors 234
Cardiac basal metabolism 155
– function and metabolism 377
– muscle 118, 163
– myocytes 285
– Purkinje strands 118
– ventricular myocytes 294
Cardiectomy 155
Carrier vesicles S152
Catecholamines 66
Cation-selective channels 250
Cd^{2+} 91
Cell communication S147
– culture S167
– differentiation S158
– isolation 329
– membrane pores S17
– – potential(s) 58, 102
– pH regulation 360
– volume S12, S23
Cellular Cl concentration S8
– chloride concentration S2
– electrophysiology S143
– osmoregulation S28
– volume regulation S12
Central venous pressure 226
Cerebrospinal fluid 148
Channel conductance 173
Channels S12
Chloride S2, 202
– homoexchange flux 193
– ion fluxes 234
– reabsorption 46
– selfexchange fluxes 193
– substitution 58
– transport S101
Cl permeability S115
Cl transport S8, S44
Clearance experiments 170
Cl^- activity 108
Cl^- current 29
Cl^--Channel S95
Cl^--conductance 367
Cl^--reabsorption S95
Cl^--secretion S95
Cloned monkey kidney cell line 223
Cloning S158
Co^{2+} 349
Co^{2+} 91
Collagenase 329
– isolation technique 58
Collecting tubule 216
Colon S127
– in vivo S67
Computer model S50
Conductance of basolateral membrane 367
Conducting airways 389
Contractile parameters 141
– properties 141
Contractility 310
Contraluminal membrane S106
Cooperativity 237
Corneal endothelial cells S167
Coronary arteries 70
– blood flow 377
Cortical collecting tubule S143
– tubules 209
Co transport 395
Co-transport S2, S8
Cross-bridge cycle 323
^{51}Cr-EDTA 66
CsCl 340
Cultured cells S147
– LLC-PK1 epithelia S163
– neural cells 260
Current-voltage curves S89
– (I–V) relations 274
Cutaneous vasoconstriction 1
Cyanide 148
Cyclic AMP S115, 285
Cytoplasmic $[Ca^{2+}]$ S33
Cytosolic Ca^{2+} 260
cAMP 367
cAMP-dependent protein kinase 70, 285

D

Dehydration 112
Denervated fast-twitch muscle 244
– – rabbit muscle 141
Depolarization 29, 118
Dextran 19
DIDS 202
Diabetes insipidus 216
3,4-Diaminopyridine 349
Dietary adaption S106
Diluting segment of frog kidney S110
Distal nephron segments 216
Diuresis S28
Divalent cations 250
Divalent cations 91
Dopamine 24

E

EGTA 91
Electrical stimulation 141, 384
Electrogenic bicarbonate-sodium symport S167
Electrolyte transport S67
Electrolytes S28
Electron microprobe analysis S8, S28
Endogenous glutamic acid 377
Endothelium 234
Endotoxin 1
Endurance 384
Energy metabolism 244
Environmental temperature 136
Enzymatically isolated single cells 274
Epinephrine 66
Epithelia S71, S147
Epithelial cell polarity S152
– function S23, S158
– Na channels S89
– resistance 400
– transport S77, S106
– water transport S17
Epithelium S2, S83, 389
Equivalent circuit analysis S39
Erythrocyte ghosts 193
Evoked transmitter release 349
Evolutionary adaptation 136
Excitation-contraction coupling 37, 77
Excitatory transmitter release 265
Exercise 384
Exocrine glands S44
Expiratory concentration-time curves 389
Extracellular volume expansion 170

F

Facilitated diffusion 83, S106
Fast protein liquid chromatography 234
Fast-twitch rabbit muscle 141
Fatigue 384
Fever 1
Flow anoxia 148
Fluctuation analysis S83, 180
Fluororeflectometry in vivo 148
Force-velocity characteristics 136
– relation 323
Frog skeletal muscle 24
Frog skin S2, S39, S44, 250
– – epithelium S8, S33
Furosemide S8, S110, 367

G

Gallbladder epithelium S115
Gas transfer 389
Gastric glands 58
Glia 260
Glioma cell 260
Glucagon 216
Glucose dependent K^+-channels 305
Glutamic acid 377
Glycoproteins S152
GMP level 260
Golgi apparatus S152
Growth factor 77

H

H_2-DIDS S106
Harvested proximal tubular fluid S136
HCO^-_3 permeability 118
HEPES 340
Heart 80, 285
– in ischemia 377
Hemoglobin solutions 83
Henle's loop 367
Heparin releasable and unreleasable LPL forms 188
Hess and Tsien model 340
Hexose transporter S163
Hill coefficient 237
– curve 19
Histamine 24, 260
Hormonal induction of ion transport S158
^{3}H-ouabain binding sites S44
Human red cell ghosts 193
Hyperpolarization 223
Hypothalamic slices in vitro 112
Hypoxia 80

I

Image processing S13
In vitro culture S158
Inactivation 340
Insulin S33
Intercellular junctions S147
Interstitial $^{33}P_i$ concentration S106
Intracellular ATP 305
– Ca^{2+}-activity 260
– Cl^--activity 108
– calcium ions S127
– microelectrodes 102
– Na^+ concentration S121
– pH 118
– protein transport S152
– routes S152
Intrafusal muscle fibres 297
Inward current 310
Ion channel 173
– transport S44, S127
Ionic channels S83
– conductance S39
Isolated gastric glands 58
– perfused medullary thick ascending limb 367
– rat kidney 46
– smooth muscle cell 329, 340
Isometric training 384
Isoprenaline 285
Isoproterenol 37

J

Jaw muscles 297
JTC-12 cell 223

K

Kidney 46, S106, S110, S131, S143, S158, 395
– basolateral membrane 209
– blood flow 127
– cell line 223
– cells 102
–, K conductance 223
–, medullary ATPase 170
–, proximal tubule S17, 360
–, thyroid hormone 52
K^+-arrested rabbit hearts 163
K^+ channels S71, S77, 305
K^+ conductance S110, 223, 305
K^+ currents 274
K^+ transport S71

L

Lacrimal acinar cells 108
Lactate dehydrogenase isozyme 244
Lanthanum extra- and intracellular 310
Leaky epithelia S17, 400
Left ventricular ischemia 377
Lipoprotein lipase activity (LPLA) 188
Local anesthetics 91
Loop of Henle 46, S95
Lorentzian component 250
Low phosphate diet 395
Lucifer Yellow S147
Lung model 389
Lung volume 226
Lys-bradykinin 260

M

Macula densa 46
Madin-Darby canine kidney cells 102
Mannitol-saline S136
Masticatory muscles 297
Mathematical model S50
MDCK-cells 102
MDCK cells (epithelioid of renal origin) S147
Mechanical activation 354
Medial preoptic area 112
Medullary microsomal Na-K-ATPase activity 170
– thick ascending limb 367
Membrane biogenesis S152
– current 329
– depolarization 354
– HCO^-_3 permeability 118
– ionic channels S83
– K^+ conductance S12
– potential difference 367
– potentials 58
– proteins S152, 354
– vesicles S101, 202

Mercury ion 354
Mersalyl S106
Methazolamide 234
Methyl alpha-D-glucoside S163
Methylsuccinate S106
Mg^{2+} 91
MgATP 323
Mg-ATPase 170
Mineralocorticoid hormone treatment S143
Mn^{2+} 91
Motor activity 297
Muscle 12, 91, 384
– cells 340
– contraction 5, 12, 19
– energy metabolism 244
– fibre(s) 5, 19, 354
– power 136
– tonus 297
Myelinated nerve 180
Myocardial ischemia and reperfusion 377
Myocardium 37, 80
Myocytes 294
Myoplasm 91
Myosin light chain composition 244
– – – phosphorylation 323

N

NAD/NADH redox state 148
Na channels 180, 237
Na inward currents 180
Na/Ca-exchange 310
NaCl absorption S115
NaCl/KCl co-transporter S101
Na/H exchange S115
Na^+ channel(s) S71, S83
Na^+ current 29
Na^+ transport S71, S83
$Na^+2Cl^-K^+$ cotransport 367
Na^+-dependent Pi transport 395
Na^+-dependent relaxation noise 250
Na^+-dependent transport S106
$Na^+(HCO_3^-)_2$ co-transport S121
Na^+/H^+ counter transport S121
Na^+/H^+ exchange S110
Na^+-K^+ pump 24
Na^+-sensitive microelectrodes S121
Na-K-ATPase 52, 170, 216
Na-K-ATPase activity S158
$NaKCl_2$ co-transport S2
Nephron 52
– cell culture S158
– cells S158
Nerve 180
– terminal 349
– terminals in crayfish 265
Neural cells 260
Neuroblastoma 260
Neuromuscular junction 265, 349
– spindles 297
NH_4^+ permeability 118
Ni^{2+} 91
Nifedipine 91
Ni-sensitive difference current 340
Nitrate 46
Node of Ranvier 237
Noise analysis S77, 250, 265
Non flow anoxia 148
Noradrenaline 24
Norepinephrine 66

O

Octanol 180
Optical sections S23
Osmoregulation S28
Osmosensitivity 112
Osmotic coupling S131
– equilibration S17
Ouabain S33, 102
– resistant epithelial cell S147
– -resistance S147
– -sensitive Na^+-efflux 24
Overshoot 294
Oxalacetate 340
Oxygen consumption 163
– partial pressure 155
Oxytocin S33

P

PAH 66
Pancreatic β-cells 305
Papillary muscle 155
Paraaminohippurate S106
Paracellular transport S59
– water flow S17
Parathyroid hormone 395
Parietal cells 58
Patch clamp S95, 305
– – studies S71
– – technique 173, 274
– electrode(s) 329, 340
Peritubular cell membrane 360
– physical forces S136
PGE_1 S115
Phlorizin S163
Phosphate 202
– deprivation 395
– transport S106, 395
Phosphoinositides 260
Physical exercise 188
Plated-derived growth factor 77
Portal vein 173
Potassium S2, S28
– channels S39, 349
– current 91, 329
– ions 223
– transport S143
Potassium-conductance 102
Potential gated Cl^- permeability S50
Preoptic thermosensitive neurons 112
Pressoreceptors 127
Presynaptic current 349
– plateau action potential 349
Primary culture 260
Pronase 329
Prostaglandin 1
– E_2 1
Protein kinase 70
– phosphorylation 285
Proton shuttling 118
Proximal luminal membranes 395
– tubular fluid S136
– tubule S106
Purinergic receptor 80
Purkinje strands 118
Pyruvate 340
pH regulation S167, 360

Q

Q_{10} 294
Q_{10} values 163
Quantitative light microscopy S23
Quin2 260
Quinidine S77
– blockage of K^+ channels S77
QX-314 91

R

Rapid length changes 5
Rat proximal tubule S121
Rectal gland S95, S101
Rectification S39
Red cell ghosts 193
Relaxation S89, 310
– noise 250
Renal chloride transport 46
– cortical collecting ducts S71
– function 66
– Na transport S136
– Na-K-ATPase 170
– papillary cells S28
– phosphate transport S106
– – – adaptation 395
– proximal tubule 202, 360
– regulation of catecholamines 66
– tubular acidification 209
– tubules S71
Renin release 46, 127
Repolarization 329
– phase 29
Resting heat production 155
– potential 180, 223
Rheogenic ion transport S67
– sodium-bicarbonate cotransport 360

S

Sarcolemma 310
Sarcomere 12
– length 5, 19
Serotonin 24
Shivering 1
Short-circuit current S67
SITS 209, 360
Silver ion-induced tension development 354
Single nephron segment 52
– tubule 216
– -channel currents 305
Skeletal muscle 5, 12, 24, 91, 188
– – fibre 354
Skinned coronary arteries 70
– fibres 136
– muscle 12
– – fibres 5, 19
Small intestine 202, 400

Smooth muscle 70, 234, 323
– – cell(s) 329, 340
– – membranes 173
Sodium S2, S28
– channels 349
– conductance 29
– efflux 360
– transport S33
– -bicarbonate cotransport 360
– -coupled hexose transporter S163
– -free media 340
– solution 360
– -independent cell pH regulation 360
– -phosphate cotransport 395
Soluble gases 389
Steady state inactivation 340
Stilbenes S167
Stoichiometry 360
Strenght 384
Stretch effect 155
Subepithelial resistance 400
Substance P 260
Succinate 340
Sulfate S106
Sulfhydryl group 354
Sulphate 202
Surface of epithelial cells S152
Sympathetic nervous system 297
Sympathetically-induced development of tension 297
Systemic filling pressure 226

T

Tadpole skin S77
Taenia coli 323
Temperature 163, 294
– effect 155
Tension development 19
– recovery 12
– responses 5
Tetraethylammonium 173, 349
– (TEA) 329
Tetrodotoxin action 237
Thermoregulatory response thresholds 1
Thermosensitive neurons 112
Thick ascending limb 216
– – – of Henle's loop S101
– – – of the loop of Henle S95
Thiocyanate Ringer S2
Threshold core temperature 1
Thyroid hormone action 52
Thyroidectomy 52
Thyroparathyroidectomy 395
Tidal ventilation 389
Tight junction organization S59
– junctions S147
Training 384
Transepithelial chloride transport S101
– ion transport S127
– Na^+ transport S83
– transport S12
Transfection S158
Transmitter release 265, 349
– stores 265
Transport 193
– modifiers S33
Transporting cellular units S50
Triceps surae in man 384
Triiodothyronine 52
TTX 274, 310
T-tubules 354
Tubular fluid reabsorption S131
– Na transport S136
– permeability S17

U

Urea S28
Urinary bladder S12, S89, 329, 340
– – epithelium S83
– – SCC S127
Urokinase S83

V

Valinomycin 102
Vascular smooth muscle 234
– – – cells 77
Vaseline gap voltage clamp 91
Venous capacity function 226
– return 226
Ventricle 274
Ventricular muscle 37
– myocytes 294
– preparation 310
Vesicles S163
Voltage clamp 180, 329, 340
– – currents S50
Voltage-clamping S59
Volume expansion S136, 170
– flow S17
– regulation S2, S12, S17

W

Water osmotic permeability S17
Whole body cooling 1
Work intensity 188
Working frog heart 80

X

Xenopus egg 29
X-ray microprobe analysis 310